

**ADDENDUM NO. 4**

CITY OF BERLIN  
2021 Street & Utility Improvements

DATE OF ADDENDUM: March 29, 2021  
Bid Opening: 11:00 a.m. local time on March 30, 2021

-----  
This Addendum is issued to modify, explain, and/or to correct the original drawings, specifications, and/or contract documents, and/or previous addendums, and is hereby made a part of the contract documents. Please attach this addendum to the specifications and note receipt of this addendum in the proper space provided on the bid proposal form. Please read the entire addendum. This addendum shall be binding on all contracts.  
-----

**NOTICE TO PLAN HOLDERS**

**CHANGES TO THE BID**

Add the following Alternate #2 bid item at the bottom of Page 00310-21:

**ALTERNATE #2**

Provide cost to slurry backfill sections of abandoned sanitary sewer on Water Street that will remain in place following construction of new sanitary sewer system, as directed by Owner/Engineer.

169.) 200 CY Slurry Backfill – Sanitary Sewer

\_\_\_\_\_ \$ \_\_\_\_\_ \$ \_\_\_\_\_  
Per Cubic Yard

**CHANGES TO THE SPECIFICATIONS & SPECIAL PROVISIONS**

Page 900-24

Add the following language:

**Aggregate Slurry Backfill**

Furnish and install Aggregate Slurry Backfill, per Section 8.43.8 of the Standard Specifications, for the abandonment of sanitary sewer on Water Street, as directed by Owner/Engineer. Aggregate Slurry Backfill will be paid at the contract unit price per cubic yard. Contractor shall provide the Engineer or Owner Representatives copies of Material Receipts which plainly indicate the project, name, class of material, and material weight for all granular backfill delivered to the project.

Strike section for Granular Backfill and replace with the following:

**Granular Backfill**

If existing excavated material is unsuitable, furnish and install a granular material meeting the provisions of Section 8.43.7 of Standard Specifications. A sand backfill will not be accepted.